



TrueForce Core LED Industrial and Retail (Highbay – HPI/SON/HPL)

TrueForce Core HB 30W E27 865 GN3

Philips TrueForce Core LED I&R lamps offer an easy and short payback LED solution to replace High Intensity Discharge (HID) lamps. The products bring the energy-efficiency and long lifetime benefits of LED to HID replacement and provide instant savings and low initial investment. With the right lamp size and light distribution, you can easily retrofit TrueForce Core LED I&R lamps and bypass the existing ballast while enhancing the lighting quality.

Product data


General Information		Operating and Electrical	
Cap base	E27 [E27]	Lamp Luminous Efficacy EM (Nom)	106.00 lm/W
EU RoHS compliant	Yes	Colour consistency	<6
Nominal lifetime (nom.)	15000 h	Colour Rendering Index,horiz (Nom)	80
Switching cycle	50,000X	LLMF at end of nominal lifetime (nom.)	70 %
Technical type	30-45W		
Light Technical		Input frequency	50 to 60 Hz
Colour Code	865 [CCT of 6,500 K]	Power (Rated) (Nom)	30 W
Technical Beam Angle (Nom)	180 °	Lamp current (nom.)	245 mA
Lamp Luminous Flux 25°C EL (Nom)	3200 lm	Wattage equivalent	45 W
Colour Designation	Cool Daylight	Starting time (nom.)	0.5 s
Colour Temperature, horizontal (Nom)	6500 K	Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.5

TrueForce Core LED Industrial and Retail (Highbay – HPI/SON/HPL)

Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	T-shape
Approval and Application	
Energy consumption kWh/1,000 hours	- kWh

Product Data	
Full product code	871869978061600
Order product name	TrueForce Core HB 30W E27 865 GN3
EAN/UPC – product	8718699780616
Order code	929002408408
SAP numerator – quantity per pack	1
Numerator – packs per outer box	6
SAP material	929002408408
SAP net weight (piece)	0.078 kg



Dimensional drawing



Tforce HB Non-CE GIII 3200lm E27 865 15K

Product	D	C
TrueForce Core HB 30W E27 865 GN3	100 mm	165 mm

Photometric data




LEDTrueForce Core HB 30W Tshape E27 865-GUL

LEDTrueForce Core HB 30W Tshape E27-LDD


TrueForce Core LED Industrial and Retail (Highbay – HPI/SON/HPL)

Photometric data




LEDTForce Core HB 30W Tshape E27 865-POC

Lifetime



15K LED



15K LMP

