

Ecofit Ledtubes T8

Ecofit LEDtube 600mm 8W 865 T8 I

Upgrade to efficient, long-lasting LED tubes with the Ecofit LED tubes. Ecofit LED tubes are a fast and easy way to replace your old fluorescent tubes with modern, efficient LED technology. Good quality of light with a natural lighting effect for use in general lighting applications with low initial investment – an environmentally friendly solution.

Product data

| General Information | | Power factor (nom.) | | 0.5 |
|--|----------------------------------|---------------------------------|--|-----|
| Cap base | G13 [Medium Bi-Pin Fluorescent] | Voltage (Nom) | 220–240 V | |
| EU RoHS compliant | Yes | Temperature | | |
| Nominal lifetime (nom.) | 15000 h | T-ambient (max.) | 45 °C | |
| Switching cycle | 50,000X | T-ambient (min.) | -20 °C | |
| Light Technical | | T storage (max.) | 65 °C | |
| Colour Code | 865 [CCT of 6,500 K] | T storage (min.) | -40 °C | |
| Technical Beam Angle (Nom) | 240 ° | T-Case maximum (nom.) | 55 °C | |
| Lamp Luminous Flux 25°C EL (Nom) | 800 lm | Controls and Dimming | | |
| Colour Designation | Cool Daylight | Dimmable | No | |
| Colour Temperature, horizontal (Nom) | 6500 K | Mechanical and Housing | | |
| Lamp Luminous Efficacy EM (Nom) | 100.00 lm/W | Bulb material | Glass | |
| Colour consistency | <6 | Product length | 600 mm | |
| Colour Rendering Index, horiz (Nom) | 80 | Approval and Application | | |
| LLMF at end of nominal lifetime (nom.) | 70 % | Energy efficiency label (EEL) | A+ | |
| Operating and Electrical | | Energy-saving product | Yes | |
| Input frequency | 50 to 60 Hz | Approval marks | RoHS compliance CE marking KEMA Keur certificate | |
| Power (Rated) (Nom) | 8 W | | | |
| Starting time (nom.) | 0.5 s | | | |
| Warm-up time to 60% light (nom.) | 0.5 s | | | |

Ecofit Ledtubes T8

| | |
|------------------------------------|----------------------------------|
| Energy consumption kWh/1,000 hours | 8 kWh |
| Product Data | |
| Full product code | 871869969706800 |
| Order product name | Ecofit LEDtube 600mm 8W 865 T8 I |
| EAN/UPC – product | 8718699697068 |
| Order code | 929001276322 |

| | |
|-------------------------------------|--------------|
| SAP numerator – quantity per pack | 1 |
| SAP numerator – packs per outer box | 20 |
| SAP material | 929001276322 |
| Net Weight (Piece) | 0.120 kg |



Dimensional drawing

A3


| Product | D1 | D2 | A1 | A2 | A3 |
|----------------------------------|---------|-------|----------|----------|----------|
| Ecofit LEDtube 600mm 8W 865 T8 I | 25.7 mm | 28 mm | 588.5 mm | 595.5 mm | 602.5 mm |

TLED Ecofit EU 600mm 8W 800lm 6500K

Photometric data



LEDtube Ecofit 16W G13 840 24D ND





LEDtube Ecofit 8W G13 865 24D ND

LEDtube Ecofit 16W G13 865 24D ND



Ecofit Ledtubes T8

Lifetime




LEDtube Ecofit 16W G13 840 24D ND

LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 16W G13 840 24D ND

LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 16W G13 840 24D ND

Ecofit Ledtubes T8

