



# Ecofit Ledtubes T8

## Ecofit LEDtube 1500mm 20W 840 T8 I

Upgrade to efficient, long-lasting LED tubes with the Ecofit LED tubes. Ecofit LED tubes are a fast and easy way to replace your old fluorescent tubes with modern, efficient LED technology. Good quality of light with a natural lighting effect for use in general lighting applications with low initial investment – an environmentally friendly solution.

### Product data

General Information		Power factor (nom.)		0.5
Cap base	G13 [ Medium Bi-Pin Fluorescent]	Voltage (Nom)	220–240 V	
EU RoHS compliant	Yes	<b>Temperature</b>		
Nominal lifetime (nom.)	15000 h	T-ambient (max.)	45 °C	
Switching cycle	50,000X	T-ambient (min.)	-20 °C	
<b>Light Technical</b>		T storage (max.)	65 °C	
Colour Code	840 [ CCT of 4,000 K]	T storage (min.)	-40 °C	
Technical Beam Angle (Nom)	240 °	T-Case maximum (nom.)	60 °C	
Lamp Luminous Flux 25°C EL (Nom)	2000 lm	<b>Controls and Dimming</b>		
Colour Designation	Cool White (CW)	Dimmable	No	
Colour Temperature, horizontal (Nom)	4000 K	<b>Mechanical and Housing</b>		
Lamp Luminous Efficacy EM (Nom)	100.00 lm/W	Bulb material	Glass	
Colour consistency	<6	Product length	1500 mm	
Colour Rendering Index,horiz (Nom)	80	<b>Approval and Application</b>		
LLMF at end of nominal lifetime (nom.)	70 %	Energy efficiency label (EEL)	A+	
<b>Operating and Electrical</b>		Energy-saving product	Yes	
Input frequency	50 to 60 Hz	Approval marks	RoHS compliance CE marking KEMA Keur certificate	
Power (Rated) (Nom)	20 W			
Starting time (nom.)	0.5 s			
Warm-up time to 60% light (nom.)	0.5 s			

# Ecofit Ledtubes T8

Energy consumption kWh/1,000 hours	20 kWh
<b>Product Data</b>	
Full product code	871869969708200
Order product name	Ecofit LEDtube 1500mm 20W 840 T8 I
EAN/UPC – product	8718699697082
Order code	929001338122

SAP numerator – quantity per pack	1
Numerator – packs per outer box	20
SAP material	929001338122
SAP net weight (piece)	0.310 kg



## Dimensional drawing

A3

Product	D1	D2	A1	A2	A3
Ecofit LEDtube 1500mm 20W 840 T8 I	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm


## TLED 5ft 220-240V 20-57W 2000lm 4000K

## Photometric data



## LEDtube Ecofit 16W G13 840 24D ND



## LEDtube Ecofit 16W G13 840 24D ND



## LEDtube Ecofit 20W G13 840 24D ND



# Ecofit Ledtubes T8

## Lifetime




LEDtube Ecofit 16W G13 840 24D ND

LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 16W G13 840 24D ND

LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 16W G13 840 24D ND

## Ecofit Ledtubes T8

